

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	93	"607"/\$.ccls. and magnetic near field near strength	USPAT	OR	OFF	2004/12/17 15:35
L2	9	1 and field same (chamber or ventricle or atrium)	USPAT	OR	OFF	2004/12/17 15:37
L3	618	607/1-38.ccls. and (magnet or hall near effect)	USPAT	OR	OFF	2004/12/17 15:53
L4	50	3 and displacement	USPAT	OR	OFF	2004/12/17 15:38
L5	8	3 and displacement same field	USPAT	OR	OFF	2004/12/17 15:38
L6	29	3 and distance same field	USPAT	OR	OFF	2004/12/17 15:38
L7	36	607/1-38.ccls. and (chamber or wall) same displacement	USPAT	OR	OFF	2004/12/17 16:17
L8	3	((("5161540") or ("5480412") or ("5549650")).PN.	USPAT	OR	OFF	2004/12/17 16:13
L9	0	7 and multichamber	USPAT	OR	OFF	2004/12/17 16:14
L10	4	7 and multi-chamber	USPAT	OR	OFF	2004/12/17 16:14
L11	125	607/1-38.ccls. and (chamber or wall) same motion not 7	USPAT	OR	OFF	2004/12/17 16:17
L12	124	11 not 5 not 6 not 8	USPAT	OR	OFF	2004/12/17 16:17
L13	119	12 not 4	USPAT	OR	OFF	2004/12/17 16:18
L15	7	13 and (multisite or multichamber or multi-site or multi-chamber)	USPAT	OR	OFF	2004/12/17 16:21
L16	242	607/1-38.ccls. and (multisite or multichamber or multi-site or multi-chamber)	USPAT	OR	OFF	2004/12/17 16:21
L17	20	16 and (magnetic near field or wall near (motion or displacemant))	USPAT	OR	OFF	2004/12/17 16:26
L18	1	("5544656").PN.	USPAT	OR	OFF	2004/12/17 16:26